

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1998

Study Documentation

December 28, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 17, 2008
Version	Version 1.0 (June 2008).
Identification	DDI-LKA-RGD-RGD-1998-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_1998	4
Variables List	5
Death_1998	5
Variables Description	6
Death_1998	6
Documentation	16

Sri Lanka (1998)
Vital Statistics - Deaths - 1998 (RGD - 1998)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1998-v1.0
Version	Production Date: 2008-06-17 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<p><u>Scope</u> The scope of the Registration of Death 1998 include :</p> <ul style="list-style-type: none"> -District -AGA Division -Registrar's Division -Month & Year -Date of Death -If urban, assessment number, street and town -If rural, Name of village -Revenue District -Whether outside division -Distinguishing letters -Race -Age at Death - in days -Age at Death - in months -Age at Death - in years -Immediate Cause -Antecedent and/or underlying cause -Other contributions 	
Topics	DEMOGRAPHY AND POPULATION [14]
<p><u>Geographic Coverage</u> National coverage.</p>	
<p><u>Universe</u> Entire population of local individuals whose death has occurred in Sri Lanka.</p>	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1998-01-01 end 1998-12-31
Data Collection Mode	Other [oth]
<p><u>Data Collection Notes</u> When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.</p> <p>A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.</p>	

The Additional District Registrars receive the returns from all Divisional Secretariate offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes.

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1998 Version 1.0 of the public use dataset (June 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 2008, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_1998	
# Cases	112653
# Variable(s)	24
<u>File Content</u> The file contains the data related to Return of Deaths form 1998.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 24 variable(s)

File Death_1998							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SEC	Sector	discrete	numeric-1.0	112653	0	-
2	SEX	Sex	discrete	numeric-1.0	112653	0	-
3	DIS	District	discrete	numeric-2.0	112653	0	-
4	AGAD	AGA Division	discrete	numeric-2.0	112653	0	-
5	RGDV	Registrar's Division	discrete	numeric-2.0	112653	0	-
6	SUBDV	Town (Not Applicable)	discrete	numeric-2.0	61384	51269	-
7	MON	Month	discrete	numeric-2.0	112653	0	-
8	YER	Year	discrete	numeric-2.0	112653	0	-
9	SHEETN	Sheet Number	discrete	numeric-2.0	112651	2	-
10	ENTNO	1. No. of Registration Entry	discrete	numeric-4.0	112650	3	-
11	DDAY	2. Date of Death - Day	discrete	numeric-2.0	112653	0	-
12	DMON	2. Date of Death - Month	discrete	numeric-2.0	112653	0	-
13	DYER	2. Date of Death - Year	discrete	numeric-2.0	112653	0	-
14	DAGA	3. AGA Division	discrete	numeric-2.0	112653	0	-
15	DDIS	5. District	discrete	numeric-2.0	112653	0	-
16	INOUT	6. Within the Registrars Division	discrete	numeric-1.0	112653	0	-
17	PLDEATH	4. Place of Death	discrete	numeric-1.0	112653	0	-
18	DISTIN	7. Distinguishing Letters	discrete	numeric-2.0	112653	0	-
19	RACE	8. Race	continuous	numeric-2.0	112653	0	-
20	DAGED	Age at Death - In days	discrete	numeric-2.0	3400	109253	-
21	DAGEM	Age at Death - In months	discrete	numeric-2.0	1230	111423	-
22	DAGEY	Age at Death - In years	discrete	numeric-3.0	108023	4630	-
23	CAUSEL	Cause of Death - Three character category	discrete	character-3	112653	0	-
24	CAUSEP	18. Other contributions	discrete	numeric-1.0	77902	34751	-

Variables Description

Dataset contains 24 variable(s)

File Death_1998

#1 SEC: Sector

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Urban	61384	54.5%
2	Rural	47629	42.3%
3	Estate	3640	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 SEX: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	70060	62.2%
2	Female	42593	37.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DIS: District

Information [Type= discrete] [Format=numeric] [Range= 1-27] [Missing=*]

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Colombo	20585	18.3%
2	Gampaha	10507	9.3%
3	Kalutara	5999	5.3%
4	Kandy	9221	8.2%
5	Matale	2448	2.2%
6	Nuwaraeliya	3592	3.2%
7	Galle	6425	5.7%
8	Matara	4796	4.3%
9	Hambantota	2077	1.8%
10	Jaffna	2721	2.4%
11	Mannar	506	0.4%
12	Vavuniya	1239	1.1%
13	Batticaloa	1717	1.5%
14	Ampara	1922	1.7%

File Death_1998 (cont.)

#3 DIS: District (cont.)

Value (cont.)	Label	Cases	Percentage
15	Trincomalee	1336	1.2%
16	Kurunegala	8932	7.9%
17	Puttalam	3675	3.3%
19	Anuradapura	3865	3.4%
20	Polonnaruwa	1802	1.6%
21	Badulla	5353	4.8%
22	Monaragala	1183	1.1%
23	Ratnapura	4940	4.4%
24	Kegalle	4421	3.9%
25	Mullaitivu	2164	1.9%
27	Kilinochchi	1227	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 AGAD: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-23] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		42129	37.4%
2		9653	8.6%
3		5662	5.0%
4		5863	5.2%
5		7264	6.4%
6		4036	3.6%
7		6095	5.4%
8		4959	4.4%
9		5136	4.6%
10		5331	4.7%
11		2330	2.1%
12		2381	2.1%
13		2594	2.3%
14		2523	2.2%
15		2244	2.0%
16		1458	1.3%
17		1215	1.1%
18		420	0.4%
19		203	0.2%
20		163	0.1%
21		434	0.4%

Vital Statistics - Deaths - 1998 - Variables Description

File Death_1998 (cont.)

#4 AGAD: AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
22		240	0.2%
23		118	0.1%
24		86	0.1%
25		77	0.1%
26		39	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 RGDV: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 0-79] [Missing=*]
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]
Frequency table not shown (80 Modalities)	

#6 SUBDV: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=61384 /-] [Invalid=51269 /-]		
Value	Label	Cases	Percentage
1		36915	60.1%
2		6818	11.1%
3		3392	5.5%
4		1867	3.0%
5		1801	2.9%
6		2641	4.3%
7		1302	2.1%
8		1524	2.5%
9		1863	3.0%
10		271	0.4%
11		292	0.5%
12		979	1.6%
13		1330	2.2%
14		177	0.3%
15		212	0.3%
Sysmiss		51269	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 MON: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
-------------	---

Vital Statistics - Deaths - 1998 - Variables Description

File Death_1998 (cont.)

#7 MON: Month (cont.)

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	January	10559	9.4%
2	February	9346	8.3%
3	March	9590	8.5%
4	April	9318	8.3%
5	May	10927	9.7%
6	June	9574	8.5%
7	July	8961	8.0%
8	August	8916	7.9%
9	September	8567	7.6%
10	October	8843	7.8%
11	November	8554	7.6%
12	December	9498	8.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 YER: Year

Information [Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
98		112653	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 SHEETN: Sheet Number

Information [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]

Statistics [NW/ W] [Valid=112651 /-] [Invalid=2 /-]

Frequency table not shown (100 Modalities)

#10 ENTNO: 1. No. of Registration Entry

Information [Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]

Statistics [NW/ W] [Valid=112650 /-] [Invalid=3 /-]

#11 DDAY: 2. Date of Death - Day

Information [Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

File Death_1998 (cont.)

#12 DMON: 2. Date of Death - Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	9566	8.5%
2	February	8023	7.1%
3	March	8827	7.8%
4	April	11076	9.8%
5	May	10950	9.7%
6	June	8582	7.6%
7	July	10008	8.9%
8	August	8902	7.9%
9	September	8599	7.6%
10	October	9329	8.3%
11	November	8918	7.9%
12	December	9873	8.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DYER: 2. Date of Death - Year

Information	[Type= discrete] [Format=numeric] [Range= 62-98] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
62		1	0.0%
72		1	0.0%
73		1	0.0%
75		1	0.0%
76		1	0.0%
77		1	0.0%
79		4	0.0%
80		10	0.0%
81		8	0.0%
82		5	0.0%
83		7	0.0%
84		10	0.0%
85		21	0.0%
86		11	0.0%
87		30	0.0%
88		26	0.0%
89		188	0.2%
90		246	0.2%

File Death_1998 (cont.)

#13 DYER: 2. Date of Death - Year (cont.)

Value (cont.)	Label	Cases	Percentage
91		73	0.1%
92		444	0.4%
93		524	0.5%
94		288	0.3%
95		164	0.1%
96		1334	1.2%
97		7612	6.8%
98		101642	90.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 DAGA: 3. AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		28049	24.9%
2		10145	9.0%
3		8231	7.3%
4		8267	7.3%
5		8041	7.1%
6		6256	5.6%
7		5783	5.1%
8		6535	5.8%
9		6012	5.3%
10		6050	5.4%
11		2865	2.5%
12		3017	2.7%
13		3131	2.8%
14		2922	2.6%
15		2420	2.1%
16		1691	1.5%
17		987	0.9%
18		407	0.4%
19		314	0.3%
20		167	0.1%
21		615	0.5%
22		318	0.3%
23		104	0.1%
24		168	0.1%

Vital Statistics - Deaths - 1998 - Variables Description

File Death_1998 (cont.)

#14 DAGA: 3. AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
25		62	0.1%
26		83	0.1%
98		13	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 DDIS: 5. District

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	15791	14.0%
2	Gampaha	12256	10.9%
3	Kalutara	6623	5.9%
4	Kandy	9013	8.0%
5	Matale	2536	2.3%
6	Nuwaraeliya	3992	3.5%
7	Galle	6758	6.0%
8	Matara	4796	4.3%
9	Hambantota	2419	2.1%
10	Jaffna	3025	2.7%
11	Mannar	525	0.5%
12	Vavuniya	836	0.7%
13	Batticaloa	1704	1.5%
14	Ampara	2096	1.9%
15	Trincomalee	1361	1.2%
16	Kurunegala	9377	8.3%
17	Puttalam	4059	3.6%
19	Anuradapura	4118	3.7%
20	Polonnaruwa	1945	1.7%
21	Badulla	4992	4.4%
22	Monaragala	1766	1.6%
23	Ratnapura	5361	4.8%
24	Kegalle	5186	4.6%
25	Mullaitivu	900	0.8%
27	Kilinochchi	1205	1.1%
98		13	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Vital Statistics - Deaths - 1998 - Variables Description

File Death_1998 (cont.)

#16 INOUT: 6. Within the Registrars Division

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	37434	33.2%
1	IN	75219	66.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLDEATH: 4. Place of Death

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Hospital	48513	43.1%
2	Other	64140	56.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DISTIN: 7. Distinguishing Letters

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	EL	3430	3.0%
2	EO	292	0.3%
3	NE	108931	96.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 RACE: 8. Race

Information	[Type= continuous] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=112653 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sinhalese	86035	76.4%
2	Sri Lanka Tamil	13797	12.2%
3	Sri lanka Moors	6766	6.0%
4	Burghers Eurasia	326	0.3%
5	Malays	210	0.2%
6	Veddah	1	0.0%
7	Indian Tamil	5098	4.5%
8	Indian Moors	5	0.0%

File Death_1998 (cont.)

#19 RACE: 8. Race (cont.)

Value (cont.)	Label	Cases	Percentage
9	Pakistan Tamil	3	0.0%
10	Pakistan Moors	192	0.2%
11	Europeans	29	0.0%
12	Other - Ind - Pak	36	0.0%
13	Other Non Ind - Pak	60	0.1%
14	Unknown Race	95	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 DAGED: Age at Death - In days

Information	[Type= discrete] [Format=numeric] [Range= 1-29] [Missing=*]
Statistics [NW/ W]	[Valid=3400 /-] [Invalid=109253 /-]
Frequency table not shown (31 Modalities)	

#21 DAGEM: Age at Death - In months

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=1230 /-] [Invalid=111423 /-]		
Value	Label	Cases	Percentage
1		209	17.0%
2		214	17.4%
3		150	12.2%
4		102	8.3%
5		107	8.7%
6		104	8.5%
7		80	6.5%
8		91	7.4%
9		68	5.5%
10		55	4.5%
11		50	4.1%
Sysmiss		111423	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 DAGEY: Age at Death - In years

Information	[Type= discrete] [Format=numeric] [Range= 1-119] [Missing=*]
Statistics [NW/ W]	[Valid=108023 /-] [Invalid=4630 /-]
Frequency table not shown (120 Modalities)	

File Death_1998 (cont.)

#23 CAUSEL: Cause of Death - Three character category

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=112653 /-] [Invalid=0 /-]

Frequency table not shown (2048 Modalities)

#24 CAUSEP: 18.Other contributions

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=77902 /-] [Invalid=34751 /-]

Value	Label	Cases	Percentage
0		7118	9.1%
1		1732	2.2%
2		7623	9.8%
3		3138	4.0%
4		1271	1.6%
5		165	0.2%
6		953	1.2%
7		126	0.2%
8		655	0.8%
9		55121	70.8%
Sysmiss		34751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents	16
Study Documentation RGD 1998 Project	16
Questionnaires	16
Questionnaire - Registration of Death	16
Technical documents	16
Data Dictionary - Death 1998	16
Statistical tables	16

Reports and analytical documents

Study Documentation RGD 1998 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1998 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire-Death.pdf"

Technical documents

Data Dictionary - Death 1998, "Documents\Technical\Data Dictionary of Death_98-99.pdf"

Table 3.1 : INFANT DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX -1998, "Documents\Tables\Table 3.1.pdf"

Table 3.2 : INFANT DEATHS REGISTERED BY DISTRICT, AGE AND SEX -1998I(Part-I), "Documents\Tables\Table 3.2.pdf"

Table 3.3 : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND SEX -1998 (Part-1), "Documents\Tables\Table 3.3.pdf"

Table 3.4 : INFANT DEATHS REGISTERED BY DISTRICT, MONTH AND SEX -1998 (Part-1), "Documents\Tables\Table 3.4.pdf"

Table 3.5a : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (Under One Month) -1998 (Part-1), "Documents\Tables\Table 3.5a.pdf"

Table 3.5b : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (One Month to Under One Year) - 1998 (Part-1), "Documents\Tables\Table 3.5b.pdf"

Table 4.1 : DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX -1998, "Documents\Tables\Table 4.1.pdf"

Table 4.2 : DEATHS REGISTERED BY USUAL RESIDENT DISTRICT AND SEX -1998, "Documents\Tables\Table 4.2.pdf"

Table 4.3 : DEATHS REGISTERED BY DISTRICT, AGE AND SEX· 1998 (Part-1), "Documents\Tables\Table 4.3.pdf"

Table 4.4 : DEATHS REGISTERED BY RACE, AGE AND SEX -1998 (Part-1), "Documents\Tables\Table 4.4.pdf"

Table 4.5 : DEATHS REGISTERED BY DISTRICT, YEAR OF OCCURANCE, MONTH AND SEX ·1998 (Parl 1.1), "Documents\Tables\Table 4.5.pdf"

Table 4.6 : DEATHS REGISTERED BY DISTRICT, RACE AND SEX -1998 (Part-1), "Documents\Tables\Table 4.6.pdf"

Table 5 : Number of deaths according to cause by age and sex -1998 Part 1 (List 1 - IC010), "Documents\Tables\Table 5.pdf"